

Style

**Experience the
Acker-Stone
Difference.**



RESIDENTIAL AND COMMERCIAL SOLUTIONS

THE PAVER LEADER

In the mid 1980s, Acker-Stone played a significant role in developing the interlocking paving stone market in the U.S. Through the introduction of innovative manufacturing techniques and ongoing product refinements, the company continues to lead the industry with the development of new and enduring paving stones.

Our long history of design and engineering excellence combine with your unique vision to build an inspired, welcoming personal retreat.

We invite you to create enduring beauty with a level of quality and consistency you can depend on for years to come with Acker-Stone paving stones.

Dream it,
and it can
be created



Combo Stone NC in Oak Creek Blend Tumbled

PAVER COLLECTIONS

5

STANDARD COLLECTION

4 x 12, Antique Kobble 2pc, Antique Kobble Rec, Antique Kobble Circle Kit, Aqua-Via I, Aviano, Aviano 6 x 9, Aviano Grande, Bullnose, Combo Classic, Combo Stone, Holland Stone I, Paseo, Paseo 6x9, Paseo Grande, Siena Embossed 4 pc, Siena Embossed Small Rec, Siena Embossed Circle Kit

31

WALL COLLECTION

Aged Cap 3" Double Sided, Mini Creta 6" Wall, Tuscan Block 4"

36

ADA COLLECTION

Palazzo 12 x 12 Truncated Domes
Palazzo 18 x 18 Truncated Domes

38

COLORS

40

PATTERNS

42

PAVER DETAILS

43

MESSAGE FROM THE PRESIDENT

STANDARD COLLECTION

From the old world charm of the Antique Kobble to the distinctive texture of the Siena Embossed, Acker-Stone has a paver to compliment your outdoor living space. Common applications include driveways, walkways, patios, courtyards, pool decks, outdoor kitchens and living spaces.



Paseo in Rockwood FM

6	4 x 12 with Micro Chamfer 8cm
8	Antique Kobble 2pc 6cm
10	Antique Kobble Rec 6cm
12	Antique Kobble Circle Kit 6cm
14	Aqua-Via I 8cm
16	Aviano 6cm
16	Aviano 6 x 9 6cm
16	Aviano Grande 6cm
18	Bullnose 6cm

20	Combo Classic 6cm
22	Combo Stone No Chamfer 6cm
24	Holland Stone I 6cm
26	Paseo 6cm
26	Paseo 6 x 9 6cm
26	Paseo Grande 6cm
28	Siena Embossed 4 pc 7cm
28	Siena Embossed Small Rec 7cm
28	Siena Embossed Circle Kit 6cm



4 x 12 with Micro Chamfer in Mission Blend FM (Non-Standard Color)



4 X 12 WITH MICRO CHAMFER

4 x 12 with Micro Chamfer	
Thickness	8 cm
Size (Nominal)	3 7/8 x 11 3/4
Stones Per Sq. Ft.	3.1
Stones Per Pallet	320
Sq. Ft. Per Pallet	105
Weight Per Piece	11.8
Weight Per Pallet	3,779

This paver was developed for pedestrian and light vehicular applications. Popular patterns include herringbone, running bond and stacked bond. Our 4x12 with Micro Chamfer pavers are currently available in two standard colors – Malibu Canyon and Sandalwood.

AVAILABLE FACE MIX COLORS



Malibu Canyon FM*



Sandalwood FM

Herringbone
100% Rectangles

Running Bond
100% Rectangles

Stacked Bond
100% Rectangles

*Extra Charge Will Apply.

ANTIQUK KOBBLK 2PC

Popular applications include all kinds of outdoor living spaces from kitchens and patios to pool surrounds. Its rugged appearance makes Antique Kobble an excellent choice for any outdoor environment.



Antique Kobble 2pc

Thickness	6 cm
Sizes (Nominal)	5 1/2 x 5 1/2
	5 1/2 x 8 1/4
Stones Per Pallet	432
Sq.	144
Rec.	288
Sq. Ft. Per Pallet	122
Weight Per Pallet	3,353

AVAILABLE THROUGH MIX COLORS

Through Mix Colors available in standard and tumbled finish



Antique Pewter



Catina Blend



Charcoal
Brown Buff



Desert Blend



Oak Creek Blend



Terra Cotta Brown

AVAILABLE FACE MIX COLORS



Ashland FM



Malibu
Canyon FM*



Rockwood FM



Sandalwood FM




Tuscan Oak FM


*Extra Charge Will Apply




Antique Kobble in Oak Creek Blend



I-Pattern
100% Antique Kobble 2 pc.



Random
100% Antique Kobble 2 pc.



Running Bond
67% Recs & 33% Sqs

ANTIQUK KOBBLK REC

It's a shape that works well with any number of popular laying patterns including a basket weave and/or herringbone. Given the paver's classic proportions, it also lends itself to border applications involving either a soldier or sailor course.



Antique Kobble Rec.
 Thickness 6 cm
 Size (Nominal) 5 1/2 x 8 1/4
 Stones Per Sq. Ft. 3.1
 Stones Per Pallet 300
 Sq. Ft. Per Pallet 96
 Weight Per Piece 8.6
 Weight Per Pallet 2,532

AVAILABLE THROUGH MIX COLORS

Through Mix Colors available in standard and tumbled finish



Charcoal



Dark Brown



Mocha Brown

AVAILABLE FACE MIX COLORS




Charcoal FM




Malibu Canyon FM*




Mocha Brown FM



Herringbone
100% Rectangles



Running Bond
100% Rectangles



Stacked Bond
100% Rectangles

*Extra Charge Will Apply.
 Note: Limited quantities.
 Please call for details.

Mega Antique Kobble in Catina Blend and Antique Kobble Rec Border in Mocha Brown
 (Mega Antique Kobble is a Non-Standard Paver)

ANTIQUK KOBBLK CIRCLE KIT

Acker-Stone's New Antique Kobble Circle Kit is designed to create a 9'8" (diameter) circle. Available in a standard finish, and in popular color blends, the kit can provide a dynamic accent to virtually any paver installation.



New!

Antique Kobble Circle Kit

Size (Nominal)	9' 8"
Thickness	6 cm
Stones Per Sq. Ft.	Varies
Stones Per Pallet	280
Sq. Ft. Per Pallet	90
Weight Per Pallet	2,455

AVAILABLE THROUGH MIX COLORS




Catina Blend



Desert Blend



Oak Creek Blend



Circle Kit
Custom

New Antique Kobble Circle Kit in Desert Blend

AQUA-VIA I

Aqua-Via I is an environmentally-friendly permeable paver system that allows rainwater runoff to drain back into the soil naturally. Aqua-Via I is ideal for driveways, walkways, courtyards and patios. This product is also ADA Compliant.



Aqua-Via I	
Thickness	8 cm
Size (Nominal)	4 3/8 x 8 3/4
Stones Per Sq. Ft.	3.7
Stones Per Pallet	350
Sq. Ft. Per Pallet	95
Weight Per Pallet	3,237

AVAILABLE THROUGH MIX COLORS




Antique Pewter




Catina Blend




Aqua-Via I in Pewter (Non-Standard Color)




Basket Weave
100% Recs



Herringbone
100% Recs



Running Bond
100% Recs



Stacked Bond
100% Recs

Note: Non-Machine Lay



Aqua-Via I in Desert Blend (Non-Standard Color)

AVIANO



Having seen Aviano, most observers would conclude that Acker-Stone has not only replicated the classic look and feel of natural slate, but has further enhanced its appearance through the introduction of an excellent selection of rich color blends and popular shapes. All of which, allow for a good number of attractive random laying patterns.

New!

Aviano	
Thickness	6 cm
Size (Nominal)	6 x 6, 6 x 9 9 x 9, 9 x 12
Stones Per Pallet	288
Sq. Ft. Per Pallet	109
Weight Per Pallet	3,022

AVIANO GRANDE



Aviano Grande is all about scale. Its three popular 12-inch shapes allow homeowners and design professionals the option of creating a visual impact in harmony with larger structures and surrounding site features. Its handsome surface texture, modest chamfer, rich color blends and random laying patterns provide numerous design options.

New!

Aviano Grande	
Thickness	6 cm
Size (Nominal)	6 x 12 12 x 12 12 x 18
Stones Per Pallet	144
Sq. Ft. Per Pallet	116
Weight Per Pallet	3,239

AVIANO 6 X 9



New!

Aviano 6 x 9	
Thickness	6 cm
Size (Nominal)	6 x 9
Stones Per Sq. Ft.	2.7
Stones Per Pallet	300
Sq. Ft. Per Pallet	113
Weight Per Piece	9.4
Weight Per Pallet	2,854

AVIANO & AVIANO GRANDE AVAILABLE FACE MIX COLORS



Ashland FM




Malibu Canyon FM*



Rockwood FM



Sandalwood FM



Tuscan Oak FM


*Extra Charge Will Apply

AVIANO 6 X 9 AVAILABLE FACE MIX COLORS


Available Tumbled Only.

Ashland FM, Charcoal FM, Malibu Canyon FM*, Mocha Brown FM, Rockwood FM, Sandalwood FM, Tuscan Oak FM


Note: Paseo Grande is intended for pedestrian use only. Please call for details. See website for laying patterns.



Random
60% Aviano & 40% Aviano Grande



Random
100% Aviano



Random
100% Aviano Grande



Aviano in Rockwood FM

BULLNOSE

Bullnose represent the finishing touch for applications such as stair treads, pools coping and masonry wall caps. Available colors work well with Acker-Stone pavers and wall units.



Bullnose in Buff



Bullnose

Thickness	6 cm
Size (Nominal)	3 1/8 x 12 & 2 3/8
Stones Per Sq. Ft.	3.7
Stones Per Pallet	352
Sq. Ft. Per Pallet	95
Weight Per Piece	8.0
Weight Per Pallet	2,409

AVAILABLE THROUGH MIX COLORS

Available non-tumbled only.



Buff



Charcoal



Mocha Brown



Bullnose in Charcoal

COMBO CLASSIC 6CM

The only similarities between Combo Classic and Combo Stone Tumbled are the five individual shapes and sizes. The most noticeable differences are the smoother surface texture and the traditional chamfered edges.

Combo Classic 6cm	
Thickness	6 cm
Sizes (Nominal)	$3\frac{7}{8} \times 3\frac{7}{8}$
	$3\frac{7}{8} \times 5\frac{7}{8}$
	$3\frac{7}{8} \times 7\frac{7}{8}$
	$5\frac{7}{8} \times 7\frac{7}{8}$
	$5\frac{7}{8} \times 11\frac{3}{4}$
Stones Per Pallet	380
Sq. Ft. Per Pallet	91
Weight Per Pallet	2,493



Combo Classic in Oak Creek Blend

AVAILABLE THROUGH MIX COLORS



Antique Pewter



Catina Blend




Charcoal
Brown Buff




Desert Blend




Oak Creek Blend



Random
100% Combo Classic



Random Runner
100% Combo Classic



Random with 12x12
80% Combo Classic & 20% 12x12

See website for laying patterns.



Combo Classic and 12x12 in Charcoal Brown Buff
(12 x 12 is a Non-Standard Paver)

COMBO STONE NO CHAMFER

Packaged as a kit consisting of five different sizes and shapes laid randomly, this collection is compatible with virtually any outdoor environment from a small courtyard to large pool surrounds.



Combo Stone NC in Oak Creek Blend Tumbled



Combo Stone NC in Oak Creek Blend Tumbled

Combo Stone No Chamfer

Thickness	6 cm
Sizes (Nominal)	3 7/8 x 3 7/8
	3 7/8 x 5 7/8
	3 7/8 x 7 7/8
	5 7/8 x 7 7/8
	5 7/8 x 11 3/4
Stones Per Pallet	380
Sq. Ft. Per Pallet	91
Weight Per Pallet	2,493

AVAILABLE THROUGH MIX COLORS



Antique Pewter



Catina Blend




Charcoal
Brown Buff




Desert Blend



Oak Creek Blend



Random
100% Combo Stone



Random with 12x12
80% Combo Stone & 20% 12x12

Note: Available Tumbled Only. Slight chipping on the edge of Non-Chamfered/Flat Top Paving Units is inherent and is not considered a manufacturing defect. Special installation required. Please call for details. See website for laying patterns.



Holland Stone I in Oak Creek Blend

HOLLAND STONE I

No paver is more recognizable than Holland Stone. At the same time, its simplicity allows homeowners to choose from a wide array of popular and very traditional laying patterns.

Holland Stone I	
Thickness	6 cm
Size (Nominal)	3 7/8 x 7 7/8
Stones Per Sq. Ft.	4.6
Stones Per Pallet	480
Sq. Ft. Per Pallet	104
Weight Per Piece	5.9
Weight Per Pallet	2,815



Holland Stone I in Charcoal


AVAILABLE THROUGH MIX COLORS



Antique Pewter



Catina Blend



Charcoal



Charcoal
Brown Buff



Desert Blend




Mocha Brown




Oak Creek Blend




Terra Cotta
Brown




Basket Weave
100% Recs



Herringbone
100% Recs



Running Bond
100% Recs



Stacked Bond
100% Recs




Paseo in 75% Rockwood FM and 25% Malibu Canyon FM

PASEO

Featuring a smooth surface defined by a clean chamfered edge, Paseo is ideal for any number of applications from traditional to contemporary. When installed in combination with other Acker-Stone styles, Paseo units can take any project from ordinary to extraordinary.

New!

Paseo	
Thickness	6 cm
Sizes (Nominal)	6 x 6, 6 x 9 9 x 9, 9 x 12
Stones Per Pallet	288
Sq. Ft. Per Pallet	109
Weight Per Pallet	3,004



PASEO GRANDE

Selecting a series of large pavers is more about design preference than anything else. Design professionals will tell you that it's about scale and visual compatibility. Paseo Grande was developed for those hardscape applications requiring a balance in proportion to existing landscape and structures. The series is available in five popular regional colors.

New!

Paseo Grande	
Thickness	6 cm
Sizes (Nominal)	6 x 12, 12 x 12 12 x 18
Stones Per Pallet	144
Sq. Ft. Per Pallet	116
Weight Per Pallet	3,246

PASEO & PASEO GRANDE AVAILABLE FACE MIX COLORS

Not Available Tumbled.



Ashland FM



Malibu Canyon FM*



Rockwood FM



Sandalwood FM



Tuscan Oak FM

PASEO 6 X 9



New!


Paseo 6 x 9	
Thickness	6 cm
Size (Nominal)	6 x 9
Stones Per Sq. Ft.	2.7
Stones Per Pallet	300
Sq. Ft. Per Pallet	113
Weight Per Piece	9.4
Weight Per Pallet	2,854

PASEO 6 X 9 AVAILABLE FACE MIX COLORS


Not Available Tumbled.

Ashland FM, Charcoal FM, Malibu Canyon FM*, Mocha Brown FM, Rockwood FM, Sandalwood FM, Tuscan Oak FM


*Extra Charge Will Apply



Random
60% Paseo & 40% Paseo Grande



Random
100% Paseo



Random
100% Paseo Grande

Note: Paseo Grande is intended for pedestrian use only. Please call for details. See website for laying patterns.


SIENA EMBOSSED CIRCLE KIT

Circles can dramatically enhance the visual appeal of any paver installation. With a diameter of approximately 10 feet and its gentle embossed finish, this classic circle can be the ideal focal point for any driveway, patio or courtyard setting.

AVAILABLE THROUGH MIX COLORS

Available Tumbled Only.

Catina Blend, Desert Blend and Oak Creek Blend



Siena Embossed Circle Kit 6 cm

Thickness	6 cm
Size (Nominal)	9' 8"
Stones Per Sq. Ft.	Varies
Stones Per Pallet	280
Sq. Ft. Per Pallet	90
Weight Per Pallet	2,480

SIENA EMBOSSED 4PC

The embossed finish gives these pavers a slightly distressed, but very consistent appearance. The four well-proportioned shapes are designed to enhance the visual appeal of your project.




AVAILABLE THROUGH MIX COLORS

Available Tumbled Only.



Antique Pewter



Catina Blend



Desert Blend



Oak Creek Blend

Siena Embossed 4pc

Thickness	7cm
Sizes (Nominal)	6 1/4 x 6 1/4 6 1/4 x 9 3/8 9 3/8 x 9 3/8 9 3/8 x 12 1/2
Stones Per Pallet	220
Small Sq.	60
Small Rec.	90
Large Sq.	40
Large Rec.	30
Sq. Ft. Per Pallet	104
Weight Per Pallet	3,225

SIENA EMBOSSED SMALL REC

Border stones serve multiple purposes. Visually, it is the finishing touch that ties everything together, while helping to lock-in or stabilize the entire installation. Siena Embossed Small Recs can be installed in either a classic soldier course or a sailor course.



Siena Embossed Small Rec

Thickness	7 cm
Size (Nominal)	6 1/4 x 9 3/8
Stones Per Sq. Ft.	2.4
Stones Per Pallet	250
Sq. Ft. Per Pallet	105
Weight Per Piece	13.4
Weight Per Pallet	3,292

AVAILABLE THROUGH MIX COLORS

Available Tumbled Only.



Antique Pewter




Catina Blend



Charcoal




Desert Blend



Mocha Brown



Oak Creek Blend



Random #4 100% Siena Embossed 4pc

Siena Embossed in Catina Blend Tumbled

See website for laying patterns.

WALLS

Synonymous with structural integrity and long-term durability, Acker-Stone's wall systems offer a myriad of design options. Aesthetically, they are as visually appealing as they are environmentally friendly.

COMMON APPLICATIONS INCLUDE EVERYTHING FROM SMALL GARDEN WALLS TO FREE-STANDING COLUMNS.

32	Aged Cap 3" Double Sided
32	Mini Creta 6" Wall
34	Tuscan Block 4"




Tuscan Block in Catina Blend Tumbled

Mini Creta 6" Wall

Finished on both sides, Mini Creta Wall is an excellent option for free-standing patio walls and planters, as well as other hardscape elements such as columns, grill islands, water features and fire pits.

Mini Creta 6" Specifications Per Pallet

Height	6"
Sq. Face Feet Per Pallet	30
Stones Per Pallet	60
Weight Per Pallet	2,930
Minimum Radius	7 ft.



Mini Creta A

Height	5 7/8"
Depth	9 13/16"
Length 1	9 1/16"
Length 2	7 1/16"
Per Pallet	20 Units

Mini Creta B

Height	5 7/8"
Depth	9 13/16"
Length 1	11 13/16"
Length 2	9 13/16"
Per Pallet	15 Units

Mini Creta B*

Height	5 7/8"
Depth	9 13/16"
Length 1	11 13/16"
Length 2	11 13/16"
Per Pallet	5 Units


Mini Creta C

Height	5 7/8"
Depth	9 13/16"
Length 1	14 3/4"
Length 2	12 13/16"
Per Pallet	10 Units


Mini Creta D

Height	5 7/8"
Depth	9 13/16"
Length 1	14 3/4"
Length 2	13 3/4"
Per Pallet	10 Units
5 Right Corners 5 Left Corners	

*Can be used as a regular or vertical unit. Installation specs available online.




Mini Creta Wall in Desert Blend




MINI CRETA 6" AND AGED CAP THROUGH MIX COLORS




Acker-Stone always recommends gluing the caps with concrete adhesive to ensure stability and safety.



Linear Pattern



Vertical Units



EXTERNAL CORNER INSTALLATION

For walls with an external corner, start building the wall for the corner and continue from this point in both directions. Each pallet contains units that can be used to make a corner. On-site, these units must be split down the side using a hammer and chisel in order to obtain a corner unit. For each subsequent course, alternate the direction of the corner unit and secure the corner unit to the block below using concrete adhesive.

Aged Cap Double-Sided Specifications Per Pallet

Thickness	3"
Linear Feet Per Pallet	66
Stones Per Pallet	72
Weight Per Pallet	2,160

Specifications Per Half-Pallet

Thickness	3"
Linear Feet Per Half Pallet	33
Stones Per Half Pallet	36
Weight Per Half Pallet	1,105



Aged Cap A

Thickness	2 15/16"
Depth	12 1/2"
Length 1	8 7/8"
Length 2	6 1/2"
Per Pallet	24 Units

Aged Cap B

Thickness	2 15/16"
Depth	12 1/2"
Length 1	11 13/16"
Length 2	9 7/16"
Per Pallet	24 Units

Aged Cap C

Thickness	2 15/16"
Depth	12 1/2"
Length 1	14 3/4"
Length 2	12 3/8"
Per Pallet	8 Units

Aged Cap C*

Thickness	2 15/16"
Depth	12 1/2"
Length 1	14 3/4"
Length 2	13 9/16"
Per Pallet	16 Units

*Can be used as left and right corner units or a regular unit.

TUSCAN BLOCK

The tumbled texture of these blocks serves to accentuate their rich colors and natural tones, while the four unique shapes allow for a number of random patterns. Tuscan Block is also an excellent option for planters, columns, grill islands and fire pits.



Tuscan Block	
Size (Nominal)	4 x 8 x 12
Thickness	4"
Stones Per Pallet	104
Weight Per Piece	29.7
Sq. Face Per Pallet	43
Weight Per Pallet	3,861



Tuscan Block in Catina Blend Tumbled

AVAILABLE THROUGH MIX COLORS

Available Tumbled Only



Antique Pewter



Apache Gold



Catina Blend



Tuscan Block in Catina Blend Tumbled

When it comes to walkways, the slightest change in elevation can present a challenge for anyone with disabilities. This product represents a proven solution that is in full compliance with American Disabilities Act Accessibility Guidelines (ADAAG).



PALAZZO 18 X 18 TRUNCATED DOMES

PALAZZO 12 X 12 TRUNCATED DOMES

Palazzo 12 x 12 Truncated Domes	
Thickness	5 cm
Size (Nominal)	11 3/4 x 11 3/4 297mm x 297mm
Stones Per Sq. Ft.	1
Stones Per Pallet	120
Sq. Ft. Per Pallet	120
Weight Per Piece	22
Weight Per Pallet	2,690

New!	Palazzo 18 x 18 Truncated Domes	
	Thickness	5 cm
	Size (Nominal)	17 5/8 x 17 5/8 447mm x 447 mm
	Stones Per Sq. Ft.	0.44
	Stones Per Pallet	40
	Sq. Ft. Per Pallet	90
	Weight Per Piece	47.5
	Weight Per Pallet	1,947

PALAZZO 12 X 12 AND 18 X 18 TRUNCATED DOME COLORS



Espresso FM



Federal Yellow FM



Onyx FM




Espresso FM
Shot Blast



Federal Yellow FM
Shot Blast



Onyx FM
Shot Blast



Stacked Bond
100% Squares

Palazzo 12 x 12 Truncated Domes in Onyx FM

Through Mix Blended Colors

Through Mix pavers have color throughout the entire paver. The face of the paver is more coarse in nature than that of a Face Mix paver. It's important to note that with Through Mix pavers the shades and depths of colors will vary greatly.



Antique Pewter



Catina Blend



Charcoal Brown Buff



Desert Blend



Oak Creek Blend



Terra Cotta Brown

Through Mix Solid Colors



Buff



Charcoal FM



Dark Brown



Mocha Brown

Acker-Stone's color selection has been influenced by the Region's rich, natural hues and tones. The collection includes colors and color blends in perfect harmony with the architectural styles prevalent throughout Arizona. Most pavers look great when first installed. Acker-Stone pavers maintain their great looks for decades. It's the result of a proven manufacturing technique developed to enhance the long-term durability of our surface finishes, colors and textures. The process has allowed Acker-Stone to thrive for over 25 years.


Palazzo Truncated Dome Colors



Espresso FM



Federal Yellow FM



Onyx FM



Espresso FM
With Shot Blast Finish



Federal Yellow FM
With Shot Blast Finish



Onyx FM
With Shot Blast Finish

Ask us about
The Cube.

Designer tool of unlimited
colors and finishes
for paving stones.



Face Mix Blended Colors

A Face Mix color is created by applying a layer of fine aggregate, cement and color to the top surface of a concrete paver. This process provides rich, vibrant colors, a smoother more refined texture and greater abrasion resistance.



Ashland FM



Malibu
Canyon FM*



Rockwood FM



Sandalwood FM



Tuscan Oak FM



Ashland FM



Malibu
Canyon FM*



Rockwood FM



Sandalwood FM



Tuscan Oak FM

Tuscan Block Through Mix Colors



Antique Pewter




Apache Gold




Catina Blend


Mini Creta 6" & Aged Cap Through Mix Colors



Apache Gold



Desert Blend



Greystone

Face Mix Solid Colors



Charcoal FM




Mocha Brown FM

Visit our website
for a complete
list of colors:
AckerStone.com


Note: The colors shown within this catalog are as accurate as the printing process will allow. Please remain mindful of the fact that the lighting conditions in which the photos were taken can cause colors to appear different. To ensure your total satisfaction, ask your design professional, contractor or Acker-Stone rep to show you samples of the actual pavers.

*Extra Charge Will Apply


4 x 12




Aviano, Aviano Grande




Combo Stone, Combo Classic



Paseo, Paseo Grande




Antique Kobble 2pc




The patterns shown, along with the photos throughout this catalog, represent a sampling to assist you in getting started. Before deciding on a specific pattern, it's always a good idea to view a number of actual installations. Most design professionals and hardscape contractors can also be helpful in selecting a pattern compatible with your home and surrounding landscape.

FOR PRINTABLE, FULL PAGE PATTERNS VISIT ACKERSTONE.COM


Siena Embossed 4pc



Holland Stone I



Aqua-Via I





Experience the Acker-Stone Difference.

COLOR SWATCHES

Due to the inherent nature of printed literature and current digital media, Acker-Stone cannot guarantee exact color matching from use of printed color swatches. The materials that are used in Acker-Stone's pavers and walls deliver a range of natural colors that closely match those used in physical samples, catalogs, web sites, color swatch photography and digital images. Pavers and walls will vary slightly due to the environmental conditions. Therefore, Color swatch photographs are an approximate representation of color and not an exact match. Final color selection should be made from physical product. If there are discrepancies, contact Acker-Stone sales representative before project installation commences. Installation of product constitutes its acceptance.

EFFLORESCENCE

This warranty does not apply to efflorescence. Efflorescence is a naturally occurring process in all concrete products that sometimes appears in the form of a white powdery substance on the surface. It does not compromise the functionality or structural integrity of the product. Although efflorescence cannot be completely prevented, it will wash off over time and can be cleaned with efflorescence cleaner. Acker-Stone accepts no responsibility or liability for this condition.

COMPACTION EQUIPMENT

Paving Stones with an embossed, slate surface or Face Mix surface finish are more susceptible to scuffing from compaction equipment used in most paver installations. Acker-Stone recommends the use of a urethane mat between the plate and the paver surface when compacting. Contact your equipment supplier for information about accessories for this purpose. Acker-Stone will not be held responsible for damage caused by the misuse of compaction equipment, leaving scuff marks, or burns on pavers.

PROPER COLOR DISTRIBUTION THROUGH LAYING TECHNIQUES

Proper installation enhances the overall color of the pavement surface. Pavers should be selected from at least two separate pallets and then randomly mixed. This creates an attractive and subtle blend of color.

NOTE: This warranty does not apply to any breakage, chipping, natural wear or other deterioration that was caused from improper design or installation which does not comply with applicable codes, the ICPI (Interlocking Concrete Pavement Institute), NCMA (National Concrete Masonry association) and recognized work procedures. Please visit www.icpi.org and www.ncma.org for more information on installation specifications. This warranty does not apply to any damage resulting from a natural disaster or from a deliberate and/or negligent act on the part of the purchaser, owner of the building, installer or any third party.



MESSAGE FROM THE PRESIDENT

Acker-Stone hereby certifies that all paving stones and segmental wall products meet the latest standards in the USA as per the ASTM (American Society of Testing and Materials).

Acker-Stone provides a lifetime guarantee on the structural integrity of its paving stones and segmental walls to the original single-family home purchaser. Material installed strictly according to the I.C.P.I. installation guidelines that prove defective, will be replaced without cost.

Color matching cannot be guaranteed. Replacement labor and transportation costs are not included. Poor or faulty installations that are not in compliance with I.C.P.I. guidelines will render this guarantee null and void.

Isaac Shwarzman
Isaac Shwarzman
PRESIDENT/CEO



www.AckerStone.com

**ARIZONA
FACILITY**

6700 W. Allison Road
Chandler, AZ 85226
480-344-6910

**CALIFORNIA
FACILITY**

13296 Temescal Canyon Road
Corona, CA 92883
800-258-2353